




Configurare e-mail Outlook Express

domeniul-meu.ro Properties [?] [X]

General | Servers | Connection | Security | Advanced

Mail Account

 Type the name by which you would like to refer to these servers. For example: "Work" or "Microsoft Mail Server".

User Information

Name:

Organization:

E-mail address:

Reply address:

Include this account when receiving mail or synchronizing

OK Cancel Apply



domeniul-meu.ro Properties [?] [X]

General Servers Connection Security Advanced

Server Information

My incoming mail server is a **POP3** server.

Incoming mail (POP3):

Outgoing mail (SMTP):

Incoming Mail Server

Account name:

Password:

Remember password

Log on using Secure Password Authentication

Outgoing Mail Server

My server requires authentication

OK Cancel Apply

(cu bifă pe Use same settings...)



Fără SSL:

domeniul-meu.ro Properties [?] [X]

General | Servers | Connection | Security | Advanced

Server Port Numbers

Outgoing mail (SMTP):

This server requires a secure connection (SSL)

Incoming mail (POP3):

This server requires a secure connection (SSL)

Server Timeouts

Short Long 1 minute

Sending

Break apart messages larger than KB

Delivery

Leave a copy of messages on server

Remove from server after day(s)

Remove from server when deleted from 'Deleted Items'



Cu SSL:

domeniul-meu.ro Properties [?] [X]

General Servers Connection Security **Advanced**

Server Port Numbers

Outgoing mail (SMTP):

This server requires a secure connection (SSL)

Incoming mail (POP3):

This server requires a secure connection (SSL)

Server Timeouts

Short Long 1 minute

Sending

Break apart messages larger than KB

Delivery

Leave a copy of messages on server

Remove from server after day(s)

Remove from server when deleted from 'Deleted Items'